



# Ametalin

Performance insulation for a greener world

## Temperate Cool Alpine Range

For use in NCC2022 - ABCB Climate Zones 4-8



Residential & Commercial

## Vapour Permeable, weather barrier insulation

For roofs and L.C. walls.

**Ametalin**  
Performance insulation for a greener world

**VapourTech® Brane VHP**  
Light Wall Duty

**45m<sup>2</sup>**  
COVERED

**Vapour Permeable wall insulation**  
For use behind all types of cladding in all wall systems in ABCB Climate Zones 4-8

- Class 4 Vapour Permeable
- Water Resistant and vapour resistant membrane
- High tear resistance for durability
- Meets all AS/NZS fire performance criteria
- 100% recyclable - up to 95%

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

**Ametalin**  
Performance insulation for a greener world

**VapourTech® Wall**  
Light Wall Duty

**45m<sup>2</sup>**  
COVERED

**Vapour permeable wall insulation**  
For use behind all types of cladding and in all wall systems in ABCB Climate Zones 4-8

- Class 4 Vapour Permeable for wet Cladding
- Advanced Weather Barrier and vapour resistant membrane
- High tear resistance for durability
- High wind uplift performance to 2.0 kPa
- Meets all AS/NZS fire performance criteria
- High UCI resistance - up to 95%

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

**Ametalin**  
Performance insulation for a greener world

**VapourTech® RWC Roof Wall Commercial**  
Medium Duty

**45 m<sup>2</sup>**  
COVERED

**Vapour permeable roof and wall insulation**  
For use in commercial and residential roof, facade and wall systems in ABCB Climate Zones 4-8

- Class 4 Vapour Permeable - wet and Dimple Back
- Advanced Weather Barrier and vapour resistant membrane
- High tear resistance for durability
- High wind uplift performance to 2.0 kPa
- Meets all AS/NZS fire performance criteria
- High UCI resistance - up to 95%

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

**Ametalin**  
Performance insulation for a greener world

**SilverWrap® MD Micro-perforated**  
Medium Duty

**40.5 m<sup>2</sup>**  
COVERED

**Vapour Permeable reflective wall insulation**  
For use in brick veneer and drained cavity wall systems in residential and commercial buildings in ABCB Climate Zones 4-8

- Class 4 Vapour Permeable for Brane
- Non-combustible
- Strong and light weight
- Meets all AS/NZS fire performance criteria

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

**Ametalin**  
Performance insulation for a greener world

**CeaseFire®**  
Extra Heavy Duty

**45 m<sup>2</sup>**  
COVERED


**Fire resistant vapour permeable roof and wall insulation**  
For use in commercial and residential fire resisting buildings and facades in ABCB Climate Zones 4-8

- Class 4 Vapour Permeable for wet Cladding
- Class 4 Vapour Permeable for Brane
- Strong and light weight
- High wind uplift performance to 2.0 kPa
- Meets all AS/NZS fire performance criteria

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

## Reflective Class 4 Vapour Permeable For Drained Cavity Walls.

View Range





# Ametalin

Performance insulation for a greener world

## Ametalin CeaseFire®

The ultimate non-combustible, weather-proofing and vapour management membrane for NCC fire-resisting systems in Australian buildings.



**Extra Heavy Duty**

### Fire resistant vapour permeable roof and wall insulation

For use in commercial and residential fire-resisting buildings and facades in ABCB Climate Zones 2-8

Recommended accessories:

- > Non-combustible E-glass, Ember-proof and Smoke Barrier
- > Superior choice for all BALs in bushfire-prone areas
- > Class 4 Vapour Permeable, Air and Water Barrier
- > Group 1 fire performance for linings
- > High wind load performance to 7.5 kPa
- > Extreme UV resistance - up to 180 days



**Non-combustible ThermalBreak® Strip**



**Non-combustible Insulation Flashing Tape**

For more information, please visit our website or scan the QR code:

[www.ametalin.com/products/ceasefire](http://www.ametalin.com/products/ceasefire)







# Ametalin

Performance insulation for a greener world

## VapourTech® RWC Roof Wall Commercial

Advanced weather barrier and vapour control membrane for condensation management in roofs and walls.



**Medium Duty**

### Vapour permeable roof and wall Insulation

For use in commercial and residential roofs, facades and wall systems in ABCB Climate Zones 2-8.

Recommended accessories:

- > Class 4 Vapour Permeable, Air and Water Barrier
- > Advanced weather barrier and vapour control membrane
- > Reinforced four-layer construction for high strength, tear and puncture resistance
- > Ideal for all BALs in bushfire-prone areas
- > High UV resistance - up to 90 days



**QuickTape™**



**ThermalCav™ Drainage Battens**

For more information, please visit our website or scan the QR code:

[www.ametalin.com/products/vapourtech-rwc-roof-wall-commercial/](http://www.ametalin.com/products/vapourtech-rwc-roof-wall-commercial/)





# Ametalin

Performance insulation for a greener world

## VapourTech® Wall

Next-generation permeable air barrier technology for walls.



**Light Wall Duty**

## Vapour permeable wall Insulation

For use behind all types of cladding in all wall systems in ABCB Climate Zones 2-8

Recommended accessories:

- > Class 4 Vapour Permeable, Air and Water Barrier
- > Advanced weather barrier and vapour control membrane
- > Triple layer construction for durability
- > High wind load performance to 3.45 kPa
- > Ideal for all BALs in bushfire-prone areas
- > High UV resistance - up to 90 days



**Cavity Drainage Battens**



**ThermalBreak® Strips**

For more information, please visit our website or scan the QR code:

[www.ametalin.com/products/vapourtech-wall/](http://www.ametalin.com/products/vapourtech-wall/)





# Ametalin

Performance insulation for a greener world

## VapourTech® Brane® VHP

Superior vapour permeance technology for condensation management in walls.



**Light Wall Duty**

### Vapour Permeable wall insulation

For use behind all types of cladding in all wall systems in ABCB Climate Zones 2-8.

Recommended accessories:

- > Class 4 Vapour Permeable
- > Water Barrier and vapour control membrane
- > Triple layer construction for durability
- > Ideal for all BALs in bushfire-prone areas
- > UV resistance - up to 30 days



**QuickTape™**



**Cavity Drainage Battens**

For more information, please visit our website or scan the QR code:

[www.ametalin.com/products/vapourtech-brane-vhp/](http://www.ametalin.com/products/vapourtech-brane-vhp/)







# Ametalin

Performance insulation for a greener world

## Micro-perforated Insulation Range

Ametalin FireSark® Micro-perforated, SilverWrap® xRS Micro-perforated, SilverWrap® xR Micro-perforated & SilverWrap® Micro-perforated



Residential & Commercial

### Vapour Permeable reflective wall insulation.

For use in brick veneer and drained cavity wall systems in residential and commercial buildings.

**Ametalin**  
Performance insulation for a greener world

**FireSark® Micro-perforated**  
Extra Heavy Duty

**40.5 m<sup>2</sup>** WIDTH: 1350 mm  
LENGTH: 30 m  
AREA: 40.5 m<sup>2</sup>

**Fire resistant permeable reflective wall insulation**

For use in Non-combustible constructions in multi-storey residential and commercial buildings

- Ember proof
- Superior choice for all fire-prone areas
- Class 3 Vapour Permeable, Air Barrier
- Non-wader Barrier
- High wind load performance to 0.5kPa
- Superior heat resistance

**Ametalin**  
Performance insulation for a greener world

**SilverWrap® XHD Micro-perforated**  
Extra Heavy Duty

**45 m<sup>2</sup>** WIDTH: 1350 mm  
LENGTH: 33 m  
AREA: 45 m<sup>2</sup>

**Vapour Permeable reflective wall insulation**

For use in brick veneer and drained cavity wall systems in residential and commercial buildings in ABCI Climate Zones 2-5

- Class 3 Vapour Permeable, Air Barrier
- Non-wader Barrier
- Strong and light weight
- Ideal for all fire-prone areas

**Ametalin**  
Performance insulation for a greener world

**SilverWrap® xR HD Micro-perforated**  
Extra R-value Heavy Duty

**40.5 m<sup>2</sup>** WIDTH: 1350 mm  
LENGTH: 30 m  
AREA: 40.5 m<sup>2</sup>

**Vapour Permeable reflective wall insulation**

For use in brick veneer and drained cavity wall systems in residential and commercial buildings in ABCI Climate Zones 2-6

- Class 3 Vapour Permeable, Air Barrier
- Non-wader Barrier
- Strong and light weight
- Superior choice for all fire-prone areas

**Ametalin**  
Performance insulation for a greener world

**SilverWrap® xRS MD Micro-perforated**  
Extra R-value Medium Duty

**81 m<sup>2</sup>** WIDTH: 1350 mm  
LENGTH: 60 m  
AREA: 81 m<sup>2</sup>

**Vapour Permeable outward reflective wall insulation**

For use in brick veneer and drained cavity wall systems in residential and commercial buildings

- Innovative reflective design, converts brick veneer heat before it reaches the interior for better AC energy efficiency
- Class 3 Vapour Permeable, Air Barrier
- Non-wader Barrier
- Strong and light weight

For full product range and approved accessories please visit,

[www.ametalin.com](http://www.ametalin.com)



# Ametalin

Performance insulation for a greener world

## SilverWrap<sup>®</sup> Micro-perforated LD

High-tech reflective permeable wall wrap.



**Light Duty**

### Vapour Permeable reflective wall insulation

For use in brick veneer and drained cavity wall systems in residential and commercial buildings.

- > Class 4 Vapour Permeable
- > Air Barrier
- > Non-water Barrier
- > Strong and light weight
- > Ideal for all BALs in bushfire-prone areas



For more information, please visit our website or scan the QR code:

[www.ametalin.com/products/silverwrap-micro-perforated/](http://www.ametalin.com/products/silverwrap-micro-perforated/)





# Ametalin

Performance insulation for a greener world

## SilverWrap<sup>®</sup> Micro-perforated MD

High-tech reflective permeable wall wrap.



**Medium Duty**

### Vapour Permeable reflective wall insulation

For use in brick veneer and drained cavity wall systems in residential and commercial buildings in ABCB Climate Zones 2-8

- > Class 4 Vapour Permeable
- > Air Barrier
- > Non-water Barrier
- > Strong and light weight
- > Ideal for all BALs in bushfire-prone areas



For more information, please visit our website or scan the QR code:

[www.ametalin.com/products/silverwrap-micro-perforated/](http://www.ametalin.com/products/silverwrap-micro-perforated/)







# Ametalin

Performance insulation for a greener world

## SilverWrap<sup>®</sup> xR Micro-perforated HD

Ideal for energy-efficient building in diverse climates.



**Heavy Duty**

### Vapour Permeable reflective wall insulation

For use in brick veneer and drained cavity wall systems in residential and commercial buildings in ABCB Climate Zones 2-5

- > Class 4 Vapour Barrier
- > Air Barrier
- > Non-water Barrier
- > Strong and light weight
- > Ideal for all BALs in bushfire-prone areas



For more information, please visit our website or scan the QR code:

[www.ametalin.com/products/silverwrap-xr-micro-perforated/](http://www.ametalin.com/products/silverwrap-xr-micro-perforated/)

